


That Which Is Claimed Is:

1. A compound of the formula:




where X is carbon nitrogen bonded to a substituent species characterized as having a sigma m value greater than 0 or less than 0; X' is nitrogen characterized as having a sigma m value greater than 0 or less than 0; A, A' and A'' individually are substituent species characterized as having a sigma m value greater than 0, less than 0 or 0; m is an integer and n is an integer such that the sum of m plus n is 1, 2, 3, 4, 5, 6, 7, or 8; E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> individually represent hydrogen, lower alkyl or halo substituted lower alkyl, such that at least one of E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> is not hydrogen; Z' and Z'' individually are hydrogen or lower alkyl; and the wavy line in the structure indicates that the compound can have a cis (Z) or trans (E) form.

2. The method of Claim 1 whereby the compound has the trans (E) form
3. The compound of Claim 1 wherein A is hydrogen.
4. The compound of Claim 1 wherein A, A' and A'' are all hydrogen.
5. The compound of Claim 1 wherein 1 or 2 of the substituents designated as E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> are non-hydrogen substituents.
6. The compound of Claim 1 wherein m plus n is 2 or 3.
7. The compound of Claim 1 wherein at least one of Z' and Z'' are hydrogen.

8. The compound of Claim 1 wherein Z' is hydrogen and Z'' is methyl.


9. The compound of Claim 1 selected from the group consisting of (4E)-N-methyl-5-(3-pyridyl)-4-penten-2-amine, (4E)-N-methyl-5-(5-pyrimidinyl)-4-penten-2-amine, (4E)-N-methyl-5-(5-methoxy-3-pyridyl)-4-penten-2-amine, (4E)-N-methyl-5-(6-amino-5-methyl-3-pyridyl)-4-penten-2-amine, (2R)-(4E)-N-methyl-5-(3-pyridyl)-4-penten-2-amine, (2R)-(4E)-N-methyl-5-(5-isopropoxy-3-pyridyl)-4-penten-2-amine, (4E)-N-methyl-5-(5-bromo-3-pyridyl)-4-penten-2-amine, (4E)-N-methyl-5-(5-ethoxy-3-pyridyl)-4-penten-2-amine, (2S)-(4E)-N-methyl-5-(3-pyridyl)-4-penten-2-amine, (4E)-N-methyl-5-(5-isopropoxy-3-pyridyl)-4-penten-2-amine, and (2S)-(4E)-N-methyl-5-(5-isopropoxy-3-pyridyl)-4-penten-2-amine.

10. A compound of the formula:



where X and X' are individually nitrogen or carbon bonded to a substituent species characterized as having a sigma m value greater than 0, less than 0 or 0; A, A' and A'' individually are substituent species characterized as having a sigma m value greater than 0, less than 0 or 0; m is an integer and n is an integer such that the sum of m plus n is 1, 2, 3, 4, 5, 6, 7, or 8; E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> individually represent hydrogen, lower alkyl or halo substituted lower alkyl, such that at least one of E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> is not hydrogen and with the proviso that E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> are selected to provide a chiral center having an S configuration; Z' and Z'' individually are hydrogen or lower alkyl; and the wavy line in the structure indicates that the compound can have a cis (Z) or trans (E) form.

11. A compound of the formula:



where X and X' are individually nitrogen or carbon bonded to a substituent species characterized as having a sigma m value greater than 0, less than 0 or; A, A' and A'' individually are substituent species characterized as having a sigma m value greater than 0, less than 0 or 0; m is an integer and n is an integer such that the sum of m plus n is 1, 2, 3, 4, 5, 6, 7, or 8; E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> individually represent hydrogen, lower alkyl or halo substituted lower alkyl, such that at least one of E<sup>I</sup>, E<sup>II</sup>, E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> is not hydrogen and with the proviso that E<sup>III</sup>, E<sup>IV</sup>, E<sup>V</sup> and E<sup>VI</sup> are selected to provide a chiral center having a R configuration; Z' and Z'' individually are hydrogen or lower alkyl; and the wavy line in the structure indicates that the compound can have a cis (Z) or trans (E) form.